

# KÁCSA<sup>®</sup> AUDIO

SINCE · 1995 · ALAPÍTVÁ

## KáCsa<sup>®</sup> assembled cables

February 2011

Page 2-3	Stereo Audio / Interconnect Cable
Page 3	Digital- / Video Cable
Page 4	HDMI <sup>®</sup> Cable
Page 4	Opto Cable
Page 5	Component Video Cable
Page 5	A/V cable
Page 5	S-VHS Video Cable
Page 6	DVI Cable
Page 6	SCART Cable
Page 7	Fire-Wire Cable
Page 7	D-SUB VGA Cable

Distributor: ELTIM audio BV, Eenrummerweg 5, NL-9961 PC Mensingeweer  
Tel. +31 (0)595 491748 Fax. +31 (0)595 491946 info@eltim.eu



## Interlink cables

KCB4xx



The KáCsa® cables Basic Line 3,5 mm jack plug – 2 RCA plugs stereo audio cable with OFC conductors and shield, with colour coded, 24K gold plated, moulded connectors in Bordeaux-red PVC jacket.

Available lengths: 1,5m (KCB415); 5,0m (KCB450).

KCB2xx



The KáCsa® cables Basic Line stereo audio interlink cable with OFC conductors and shield, with colour coded, 24K gold plated moulded RCA connectors in Bordeaux-red PVC jacket.

Available lengths: 0,5m (KCB205); 1,0m (KCB210);  
1,5m (KCB215); 5,0m (KCB250).

KCE2xx



The KáCsa® cables Expert Line stereo audio interconnect cable with OFC conductors and shield, with 24K gold plated, metal barrelled RCA connectors in black PVC jacket.

Available lengths: 0,5m (KCE205); 1,0m (KCE210);  
1,5m (KCE215); 5,0m (KCE250).

KCS2xx



The stereo audio interconnect cable of the KáCsa® cables, Silver line. The balanced (symmetrical) cable pair has silver plated copper (SPC) solid core conductors, double shielded (Mylar foil and braided shielding) with 8 mm Ø pearl-white colour outer PVC jacket. One conductor of each cable is for signal transport, the other for ground connection. The shielding is just connected to one connector, so there is no current (and thus no electromagnetic influence) running through this shield. The cable is assembled with 24K gold plated, Teflon insulated professional RCA plugs in pearl-white colour.

Available lengths: 0,5m (KCS205); 0,7m (KCS207); 1,0m (KCS210).

KCOIS1xx



The stereo audio cable of the new High End KáCsa® OCC line. The balanced (symmetrical) cable has an UP-OCC (Ohno Continuous Casting) monocrystal 6N purity copper conductor. The cable is double shielded with 8,5 Ø mm purple colored outer PVC jacket with an elegant and protective black/brown striped PE mesh. The cable is individually hand-assembled with professional 24K gold plated and Teflon insulated RP-172GT RCA connectors.

Available lengths: 0,5m (KCOIS105); 0,7m (KCOIS107);  
1,0m (KCOIS110); 1,5m (KCOIS115).

KCOIS1Wxx



The stereo audio cable of the new High End KáCsa® OCC line. The balanced (symmetrical) cable has an UP-OCC (Ohno Continuous Casting) monocrystal 6N purity copper conductor. The cable is double shielded with 8,5 Ø mm purple colored outer PVC jacket with an elegant and protective black/brown striped PE mesh. The cable is individually hand-assembled with professional 24K gold plated and Teflon insulated WBT-0144RCA connectors.

Available lengths: 0,5m (KCOISW05); 0,7m (KCOISW07);  
1,0m (KCOISW10); 1,5m (KCOISW15).

KCOIS1Xxx



The XLR stereo audio cable of the new High End KáCsa OCC line. The balanced (symmetrical) cable has an UP-OCC (Ohno Continuous Casting) monocrystal 6N purity copper conductor. The cable is double shielded with 8,5 Ø mm purple colored outer PVC jacket with an elegant and protective black/brown striped PE mesh. The cable is individually hand-assembled with professional 24K gold plated MC-945G and MC-946G (male and female) XLR connectors.

Available lengths: 1,0m (KCOIS1X10); 1,5m (KCOIS1X15)

KCSXLRxx



Reference quality balanced interlink cable.  
The cable is individually hand-assembled with professional 24K gold plated MC-945G and MC-946G (male and female) XLR connectors.

Available lengths: 1,0m (KCSXLR10); 1,5m (KCSXLR15)

KCOSUBx



Professional, double shielded (Aluminium Mylar foil and OFC braid) symmetrical audio interconnect subwoofer cable of the KáCsa® cables Expert Line, made from solid core UP-OCC copper conductors with 0,8 mm<sup>2</sup> cross-section in a black PVC jacket, covered by tight black Nylon „snake skin” mesh network. The space between the twisted conductors is filled up with PP yarn. 8,5 mm Ø. The cable is assembled with 24K gold plated Teflon insulated professional RCA plugs (RP70GT9).

Available lengths: 3,0m (KCOSUB3); 5,0m (KCOSUB5).

KCOSUBYx



Professional, double shielded (Aluminium Mylar foil and OFC braid) symmetrical audio interconnect SUB (subwoofer) cable of the KáCsa® OCC Line, made from, solid core UP-OCC copper conductors with 0,8 mm<sup>2</sup> cross-section in a black PVC jacket, covered by tight black Nylon „snake skin” mesh network. The space between the twisted conductors is filled up with PP yarn. 8,5 mm Ø. The cable is assembled at the amp side 1 and the SUB side 2 - 24K gold plated, Teflon insulated professional RCA plugs.

Available lengths: 3,0m (KCOSUBY3); 5,0m (KCOSUBY5).

KCE203



The KáCsa® cables Expert Line Y audio interconnect cable with 1 RCA jack – 2 RCA plugs, OFC conductors and shield, with 24K gold plated, metal barrelled RCA connectors in Terracotta PVC jacket.

Length: 0,3m (KCE203).

## Digital/video cables

KCB1xx



The KáCsa® cables Basic Line digital/video 75 Ohm cable with OFC conductors and shield, with 24K gold plated moulded RCA connectors in Bordeaux-red PVC jacket.

Available lengths: 1m (KCB110); 2,5m (KCB125); 5m (KCB150).

KCE1xx



The KáCsa® cables Expert Line digital/video 75 Ohm cable with OFC conductors and shield, with 24K gold plated, metal barrelled RCA connectors in black PVC jacket.

Available lengths: 1,0m (KCE110); 2,5m (KCE125); 5,0m (KCE150).

KCS1xx



The digital/video cable of the KáCsa® cables, Silver line, 75 Ohm Silver plated copper (SPC) conductors, double shielded (Mylar foil and braided shielding), with 8 mm Ø pearl-white colour outer PVC jacket. The cable is assembled with 24K gold plated, Teflon insulated professional RCA plug in pearl-white colour.

Available lengths: 1,0m (KCS110); 2,5m (KCS125).

## HDMI cables

KCEHHxx



The KáCsa® cables Expert Line HDMI – HDMI digital cable with OFC conductors and shield, 24K gold plated, moulded HDMI connectors in black PVC jacket under a tight PE snake skin mesh. Certified as genuine HIGH SPEED HDMI® CABLE.

Available lengths: 1,0m (KCEHH1); 2,0m (KCEHH2); 3,0m (KCEHH3); 5,0m (KCEHH5); 10,0m (KCEHH10); 15,0m (KCEHH15).

KCEHHxxR



The KáCsa® cables Expert Line long range HDMI – HDMI digital cable with OFC conductors and shield, 24K gold plated, moulded HDMI connectors in black PVC jacket under a tight PE snake skin mesh. Certified as genuine HIGH SPEED HDMI® CABLE.

Available lengths: 18m (KCEHH18R); 20m (KCEHH20R); 25m (KCEHH25R).

KCSHHx



The KáCsa® cables Silver Line HDMI digital cable with SPC (silver plated) conductors and shield, 24K gold plated contacts, metal HDMI connectors in black outer PVC jacket under a tight elegant white PE snake skin mesh. Certified as genuine HIGH SPEED HDMI® CABLE WITH ETHERNET.

Available lengths: 1,0m (KCSHH1); 2,0m (KCSHH2); 3,0m (KCSHH3); 5,0m (KCSHH5); 10,0m (KCSHH10); 15m (KCSHH15).

KCEHHF1



KáCsa Expert Line flat HDMI cable, black PVC finish, gold plated connectors, High Speed version.

The size of the cable is 11\*3 mm and flat!

Length 1m (KCEHHF1).

KCEHDM1,5



The Expert Line HDMI – mini HDMI digital cable with OFC conductors and shield, 24K gold plated, moulded HDMI connectors, in black PVC jacket.

Length: 1,5 m (KCEHDM1,5).

## Optical cables

KCEGLx



The KáCsa® cables Expert Line professional glass fiber optical digital cable 24K gold plated, metal barrelled, special Opto connector which can easily be inserted and detached in any position (360 degree connections) in black PVC jacket, 6 mm Ø.

Available lengths: 1,0m (KCEGL1); 3,0m (KCEGL3).

KCEOPxx



The KáCsa® cables Expert Line digital optical cable with 6 mm Ø, 24K gold plated metal barrelled Toslink connectors, in dark blue PVC jacket.

Available lengths: 1,0m (KCEOP01); 3,0m (KCEOP03); 5,0m (KCEOP05); 10,0m (KCEOP10).

KCOP1xx

No picture yet

Reference quality optical cable

Available lengths: 0,9m (KCOP109); 1,8m (KCOP118).

## Component video cables

KCB3xx



The KáCsa® cables Basic Line component cable with 75 Ohm wires, with colour coded (RGB – red, green and blue), 24K gold plated, moulded RCA connectors in Bordeaux-red PVC jacket.

Available lengths: 1,5 m (KCB315); 5,0m (KCB350).

KCE3xx



The KáCsa® cables Expert Line component cable with 75 Ohm OFC conductors and shield, with 24K gold plated, metal barrelled RCA connectors in black PVC jacket. Colour coded in fail proof R/G/B (red, green, blue) colour identification for easy and error-free connections.

Available lengths: 1,5m (KCE315); 5m (KCE350).

KCS3xx



The component video cable of the KáCsa® cables, Silver line, 75 Ohm Silver plated copper (SPC) conductors, double shielded (Mylar foil and braided shielding), with 3\*6 mm Ø pearl-white colour outer PVC jacket. The cable assembled with 24K gold plated, Teflon insulated professional RCA plugs in pearl-white colour with RGB (red, green and blue) colour code rings.

Available lengths: 1,0m (KCS301); 5,0m (KCS305).

## AV cables

KCB5xx



The KáCsa® cables Basic Line 3,5 mm, 4 pole jack plug - 3 RCA plugs audio/video cable with OFC conductors and shield, with colour coded (Audio left/right/Video yellow), 24K gold plated, moulded connectors in Bordeaux-red PVC jacket.

Available lengths: 1,5m (KCB515); 3,0m (KCB530).

## S-video cables

KCBSxx



The KáCsa® cables Basic Line S-VHS video cable with OFC conductors and shield, 24K gold plated, moulded S-VHS connectors in Bordeaux-red PVC jacket.

Available lengths: 1,5m (KCBS15); 5,0m (KCBS50).

KCESxx



The KáCsa® cables Expert Line S-VHS cable with 75 Ohm OFC conductors and shield, with 24K gold plated, metal barrelled S-VHS connectors in Terracotta PVC jacket.

Available lengths: 1,5m (KCES15); 5,0m (KCES50).

KCSSxx



The S-VHS cable of the KáCsa® cables, Silver line, 75 Ohm silver plated copper (SPC) conductors, double shielded (Mylar foil and braided shielding), with 8 mm Ø pearlwhite colour outer PVC jacket. The cable is assembled with 24K gold plated, Teflon insulated professional S-VHS plugs in pearl-white colour.

Available lengths: 1,0m (KCSS01); 5,0m (KCSS05);

## DVI cables

KCEDDx



The KáCsa® cables Expert Line DVI - DVI digital cable with OFC conductors and shield, 24K gold plated pins, moulded DVI connectors in black PVC jacket.

Available lengths: 2,0m (KCEDD2); 5,0m (KCEDD5).

## SCART cables

KCBSCxx



The KáCsa® cables Basic Line SCART-SCART Audio/Video cable with OFC conductors and shield, 75 Ohm video signal wires in Bordeaux-red PVC jacket, assembled with 24K gold plated, fully loaded 21 pins moulded, straight SCART connectors.

Available lengths: 1,5m (KCBSC15); 3,0m (KCBSC30); 5,0m (KCBSC50).

KCESCxx



The KáCsa® cables Expert Line professional SCART-SCART A/V cable with OFC conductor and shield, 75 Ohm video signal wires in black PVC jacket, assembled with fully loaded 21 pin, 24K gold plated and straight SCART connectors.

Available lengths: 1,5m (KCESC15); 3,0m (KCESC30); 5,0m (KCESC50).

KCSSCxx



The professional SCART A/V cable of the KáCsa® cables, Silver line, with 75 Ohm Silver plated copper (SPC) conductors, double shielded (Mylar foil and braided shielding), with 11 mm Ø pearl-white colour outer PVC jacket. The cable is assembled with SC-1G type, straight, fully loaded 21 pin SCART plugs.

Available lengths: 1,0m (KCSSC10); 1,5m (KCSSC15); 3,0m (KCSSC30).

KCESC03



The KáCsa® cables Expert Line professional 1 SCART plug - 3 SCART sockets box for easy connection with 1 m long cable (OFC conductor and shield, 75 Ohm video signal wires) in black PVC jacket, assembled with fully loaded 21 pin, 24K gold plated SCART pins.

Length: 1 m. (KCESC03)

KCESR15



The KáCsa® cables Expert Line SCART - 6 RCA A/V cable with OFC conductor and shield in Terracotta PVC jacket, assembled with 24K gold plated and straight SCART connector and colour coded and function labelled (Audio left/right – Video) RCA plugs.

Length: 1,5 m. (KCESR15)

## Firewire cables

KCE44



The KáCsa® cables Expert Line Fire Wire digital cable with IEE1394a 4-pin fire-wire connectors at both ends in a transparent PVC jacket.

Length: 1 m. (KCE44)

KCE64



The KáCsa® cables Expert Line Fire Wire digital cable with IEE1394a 4-pin connector on one end and on the other end with a IEE1394a 6-pin fire-wire connector in transparent PVC jacket.

Length: 1 m. (KCE64)

KCE66



The KáCsa® cables Expert Line Fire Wire digital cable with IEE1394a 6-pin fire-wire connectors at both ends in transparent PVC jacket.

Length: 1 m. (KCE66)

## VGA cables

KCEVGAxx



The KáCsa® cables Expert Line D-SUB VGA cable with 75 Ohm OFC conductors and shield, in dark grey PVC jacket, assembled with 24K gold plated pins, metal barrelled D-SUB connectors.

Available lengths: 3,0m (KCEVGA3); 5,0m (KCEVGA5);  
7,0m (KCEVGA7); 10,0m (KCEVGA10).

KCSVGAx



The KáCsa® cables, Silver line VGA (D-SUB) cable with 75 Ohm silver plated copper (SPC) conductors and shield, and 9 mm Ø pearl-white colour outer PVC jacket, assembled with 24K gold plated pins, metal barrelled VGA (D-SUB) connectors.

Available lengths: 3,0m (KCSVGA3); 5,0m (KCSVGA5);  
7,0m (KCSVGA7).